



**WL PLASTICS**  
An INEOS Business

# WL103 Camcore™ PE4710



Sewer & reclaimed water

The ideal piping solution

# WL103 Camcore™ PE4710


Camcore polyethylene pipe for sewer, wastewater, reclaimed, recycled, storm, bypass and landfill applications.

- Superior video inspection with a light color interior surface
- Interior colors – light gray (standard), white, light green, lavender, or other
- UV protected black pipe for outdoor storage, or long-term surface or above grade service
- Fully pressure-rated for force main applications
- Install by direct burial, sliplining, insertion renewal, pipe bursting, horizontal directional drilling, plowing, planting, surface, suspended, marine
- IPS 4 through 18; DIPS 4 through 16
- 40 ft or 50 ft lengths
- Meets ASTM F714, ASTM D3035, AWWA C906
- “No-Leak” heat fusion joints
- Exterior color stripes available for pipe identification

Exterior stripes available for pipe service identification

Black PE4710 pipe  
Pressure-rated  
UV-protected


Light color interior for superior video inspection





# WL PLASTICS

An INEOS Business



## Manufacturing locations

- Bowie, TX
- Casper, WY
- Cedar City, UT
- Elizabethtown, KY
- Lubbock, TX (HDPE)
- Lubbock, TX (MDPE)
- Rapid City, SD
- Snyder, TX
- Statesboro, GA
- Titusville, PA (HDPE/MDPE)

## Corporate office

3575 Lone Star Circle, Suite 300,  
Fort Worth, TX, 76177

## Contact

Contact WL Plastics for more information

**SALES:** [wlsales@wlplastics.com](mailto:wlsales@wlplastics.com)

**TECHNICAL:** [wltechnical@wlplastics.com](mailto:wltechnical@wlplastics.com)

This publication is intended for use as a piping system guide. It should not be used in place of a professional engineer's judgment or advice and it is not intended as installation instructions. The information in this publication does not constitute a guarantee or warranty for piping installations and cannot be guaranteed because the conditions of use are beyond our control. The user of this information assumes all risk associated with its use. WL Plastics Corporation has made every reasonable effort to ensure accuracy, but the information in this publication may not be complete, especially for special or unusual applications. Changes to this publication may occur from time to time without notice. Contact WL Plastics Corporation to determine if you have the most current edition. Publication duplication permitted.

